

From: [Ex. 4 - CBI]
Sent: 2/13/2012 12:35:50 PM
To: Colleen Walling
CC:
Subject: Fw: 180-2644-01 - Validated Electronic Data for Dimock Residential Groundwater

[Ex. 4 - CBI]

ESAT Region 3 Program Manager
Lockheed Martin IS&GS - Civil
Energy & Environment
US EPA Environmental Science Center
701 Mapes Road
Ft. Meade, MD 20755-5350

[Ex. 4 - CBI]

[Ex. 4 - CBI]

-----Forwarded by [Ex. 4 - CBI]-----

To: Richard Fetzer/R3/USEPA/US@EPA
From: [Ex. 4 - CBI]
Date: 02/07/2012 12:21PM
Cc: [Ex. 4 - CBI] gnance@techlawinc.com
Subject: 180-2644-01 - Validated Electronic Data for Dimock Residential Groundwater
Richard Fetzer
US EPA Region 3
1650 Arch Street
Philadelphia, PA 19103-2029

Dear Richard,
Attached to this message you will find electronic files containing the validation report and validated inorganic data for the Dimock Residential Groundwater site, Case # 180-2644-01, 2 samples. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).
Please contact ESAT's RPO, Colleen Walling by phone at 410-305-2763 or e-mail at Walling.Colleen@epa.gov if additional assistance is needed.

TO # 0037 TDF # 01079A
(See attached file: 180-2644-01 (2).PDF)
(See attached file: 180-2644-1_Validated_General_DSF.xls)

Sincerely,

[Ex. 4 - CBI]

Lockheed Martin IS&GS - Civil
Energy & Environment
ESAT Region 3
701 Mapes Road
Ft. Meade, MD 20755-5350

Ex. 4 - CBI

[attachment "180-2644-01 (2).PDF" removed by [Ex. 4 - CBI]]
[attachment "180-2644-1_Validated_General_DSF.xls" removed by [Ex. 4 - CBI]]